

120.001: GENERAL PROVISIONS

120.002: Purpose and Scope

Except as otherwise specifically provided, 105 CMR 120.000 apply to all persons who receive, possess, use, transfer, own, or acquire any source of radiation; provided, however, that nothing in 105 CMR 120.000 shall apply to any person to the extent such person is subject to regulation by the U.S. Nuclear Regulatory Commission (NRC). Regulation by the Commonwealth of source material, byproduct material, and special nuclear material in quantities not sufficient to form a critical mass is subject to the provisions of the agreement between the State and the NRC and to 10 CFR Part 150 of the NRC's regulations.

120.003: Regulatory Authority

The authority for the Department of Public Health to promulgate 105 CMR 120.000 is found in: M.G.L. c. 111, §§ 3, 5M, 5N, 5O, 5P.

120.004: Citation

105 CMR 120.000 shall be known and may be cited as the Massachusetts Regulations for the Control of Radiation (MRCR).

120.005: Definitions

As used in 105 CMR 120.000, these terms have the definitions set forth below. Additional definitions used only in a certain Section will be found in that Section.

A₁ means the maximum activity of special form radioactive material permitted in a Type A package. A₂ means the maximum activity of radioactive material, other than special form radioactive material, permitted in a Type A package. These values are either listed in 120.795: *Table I*, or may be derived in accordance with the procedure prescribed in 120.795: *Appendix A*.

Absorbed dose means the energy imparted by ionizing radiation per unit mass of irradiated material. The units of absorbed dose are the gray (Gy) and the rad.

Accelerator means any machine capable of accelerating electrons, protons, deuterons, or other charged particles in a vacuum and of discharging the resultant particulate or other radiation into a medium at energies usually in excess of 1 MeV. For purposes of this definition, "particle accelerator" is an equivalent term.

Accelerator-Produced Material means any material made radioactive by a particle accelerator.

Act means M.G.L. c. 111 §§ 3, 5M, 5N, 5O, 5P.

Activity means the rate of disintegration or transformation or decay of radioactive material. The units of activity are the becquerel (Bq) and the curie (Ci).

120.005: continued

120.005: continued

Adult means an individual 18 or more years of age.

Agency means the Radiation Control Program of the Massachusetts Department of Public Health.

Agreement State means any State with which the U.S. Nuclear Regulatory Commission or the U.S. Atomic Energy Commission has entered into an effective agreement under § 274b of the Atomic Energy Act of 1954, as amended (St. 1973, c. 689).

Airborne Radioactive Material means any radioactive material dispersed in the air in the form of dusts, fumes, particulates, mists, vapors, or gases.

Airborne radioactivity area means a room, enclosure, or area in which airborne radioactive materials exist in concentrations:

- (a) In excess of the derived air concentrations (DACs) specified in 105 CMR 120.200: *Appendix B*, Table I; or
- (b) To such a degree that an individual present in the area without respiratory protective equipment could exceed, during the hours an individual is present in a week, an intake of 0.6% of the annual limit on intake (ALI) or 12 DAC- hours.

As low as is reasonably achievable (ALARA) means making every reasonable effort to maintain exposures to radiation as far below the dose limits in 105 CMR 120.000 as is practical, consistent with the purpose for which the licensed or registered activity is undertaken, taking into account the state of technology, the economics of improvements in relation to state of technology, the economics of improvements in relation to benefits to the public health and safety, and other societal and socioeconomic considerations, and in relation to utilization of ionizing radiation and licensed or registered sources of radiation in the public interest.

Background radiation means radiation from cosmic sources; non-technologically enhanced naturally occurring radioactive material, including radon, except as a decay product of source or special nuclear material, and including global fallout as it exists in the environment from the testing of nuclear explosive devices. "Background radiation" does not include sources of radiation from radioactive materials regulated by the Agency.

Becquerel (Bq) means the SI unit of activity. One becquerel is equal to one disintegration or transformation per second (dps or tps).

Bioassay means the determination of kinds, quantities, or concentrations, and, in some cases, the locations of radioactive material in the human body, whether by direct measurement (in vivo counting), or by analysis and evaluation of materials excreted or removed from the human body. For purposes of 105 CMR 120.000, "radiobioassay" is an equivalent term.

Brachytherapy means a method of radiation therapy in which sealed sources are utilized to deliver a radiation dose at a distance of up to a few centimeters, by surface, intracavitary, or interstitial application.

Byproduct material means:

- (1) Any radioactive material, except special nuclear material, yielded in or made radioactive by exposure to the radiation incident to the process of producing or utilizing special nuclear material; and
- (2) The tailings or wastes produced by the extraction or concentration of uranium or thorium from ore processed primarily for its source material content, including discrete surface wastes resulting from uranium or thorium solution extraction processes. Underground ore bodies depleted by these solution extraction operations do not constitute "byproduct material" within this definition.

Calendar quarter means not less than 12 consecutive weeks nor more than 14 consecutive weeks. The first calendar quarter of each year shall begin in January and subsequent calendar quarters shall be so arranged such that no day is included in more than one calendar quarter and no day in any one year is omitted from inclusion within a calendar quarter. The method observed by the licensee or registrant for determining calendar quarters shall only be changed at the beginning of a year.

120.005: continued

Calibration means the determination of:

- (1) the response or reading of an instrument relative to a series of known radiation values over the range of the instrument; or
- (2) the strength of a source of radiation relative to a standard.

CMR means Code of Massachusetts Regulations.

CFR means Code of Federal Regulations.

Chelating agent means amine polycarboxylic acids, hydroxy-carboxylic acids, gluconic acid, and polycarboxylic acids.

Collective dose means the sum of the individual doses received in a given period of time by a specified population from exposure to a specified source of radiation.

Committed dose equivalent ($H_{T,50}$) means the dose equivalent to organs or tissues of reference (T) that will be received from an intake of radioactive material by an individual during the 50-year period following the intake.

Commissioner means the Commissioner, Massachusetts Department of Public Health.

Committed effective dose equivalent ($H_{E,50}$) means the sum of the products of the weighting factors applicable to each of the body organs or tissues that are irradiated and the committed dose equivalent to each of these organs or tissues ($H_{E,50} = \sum w_T H_{T,50}$).

Confirmatory Action Letters means letters, confirming a licensee's, registrant's, or vendor's agreement to take certain actions to remove significant concerns about health and safety, safeguards, or the environment.

Constraint (dose constraint) means a value above which specified licensee actions are required.

Curie means a unit of quantity of activity. One curie (Ci) is that quantity of radioactive material which decays at the rate of 3.7×10^{10} disintegrations or transformations per second (dps or tps). Commonly used submultiples of the curie are the millicurie and the microcurie. One millicurie (mCi) = 1×10^{-3} curie = 3.7×10^7 tps. One microcurie (FCi) = 1×10^{-6} curie = 3.7×10^4 tps. One nanocurie (nCi) = 1×10^{-9} curie = 3.7×10^1 tps. One picocurie (pCi) = 1×10^{-12} curie = 10^{-2} tps.

Decommission means to remove safely from service and reduce residual radioactivity to a level that permits release of the property for unrestricted use and/or termination of license.

Deep dose equivalent (H_d) means the dose equivalent at a tissue depth of 1 centimeter (1000 mg/cm²) and applies to external whole body exposure.

Department means the Department of Public Health.

Depleted Uranium means the source material uranium in which the isotope uranium-235 is less than 0.711 weight percent of the total uranium present. Depleted uranium does not include special nuclear material.

Dose is a generic term that means absorbed dose, dose equivalent, effective dose equivalent, committed dose equivalent, committed effective dose equivalent, total organ dose equivalent, or total effective dose equivalent. For purposes of 105 CMR 120.000, "radiation dose" is an equivalent term.

Dose equivalent (H_T) means the product of the absorbed dose in tissue, quality factor, and all other necessary modifying factors at the location of interest. The units of dose equivalent are the sievert (Sv) and rem.

120.005: continued

Dose limits means the permissible upper bounds of radiation doses established in accordance with 105 CMR 120.000. For purposes of 105 CMR 120.000, "limits" is an equivalent term.

Effective dose equivalent (H_E) means the sum of the products of the dose equivalent to each organ or tissue (H_T) and the weighting factor (w_T) applicable to each of the body organs or tissues that are irradiated ($H_E = \sum w_T H_T$).

Embryo/fetus means the developing human organism from conception until the time of birth.

Entrance or access point means any opening through which an individual or extremity of an individual could gain access to radiation areas or to licensed or registered radioactive materials. This includes entry or exit portals of sufficient size to permit human entry, irrespective of their intended use.

Explosive material means any chemical compound, mixture, or device which produces a substantial instantaneous release of gas and heat spontaneously or by contact with sparks or flame.

Exposure means being exposed to ionizing radiation or to radioactive material.

Exposure means the quotient of dQ by dm where " dQ " is the absolute value of the total charge of the ions of one sign produced in air when all the electrons (negatrons and positrons) liberated by photons in a volume element of air having mass " dm " are completely stopped in air. The SI unit of exposure is the coulomb per kilogram (C/kg). See 105 CMR 120.013 Units of Exposure and Dose for the special unit.

Exposure Rate means the exposure per unit of time, such as roentgen per minute and milliroentgen per hour.

External Dose means that portion of the dose equivalent received from any source of radiation outside the body.

Extremity means hand, elbow, arm below the elbow, foot, knee, and leg below the knee.

Eye Dose Equivalent means the external dose equivalent to the lens of the eye at a tissue depth of 0.3 centimeter (300 mg/cm²).

Former U.S. Atomic Energy Commission (AEC) or U.S. Nuclear Regulatory Commission (NRC) Licensed Facilities means nuclear reactors, nuclear fuel reprocessing plants, uranium enrichment plants, or critical mass experimental facilities where AEC or NRC licenses have been terminated.

Generally Applicable Environmental Radiation Standards means standards issued by the U.S. Environmental Protection Agency (EPA) under the authority of the Atomic Energy Act of 1954, as amended, that impose limits on radiation exposures or levels, or concentrations or quantities of radioactive material, in the general environment outside the boundaries of locations under the control of persons possessing or using radioactive material.

Gray (Gy) means the SI unit of absorbed dose. One gray is equal to an absorbed dose of 1 joule per kilogram (100 rad).

Half-value layer (HVL) means the thickness of a specified material which attenuates X-radiation or gamma radiation to an extent that the air kerma rate, exposure rate, or absorbed dose rate is reduced to one-half of the value measured without the material at the same point.

Hazardous Waste means those wastes designated as hazardous by U.S. Environmental Protection Agency regulations in 40 CFR Part 261.

120.005: continued

Healing Arts means any discipline which involves the diagnosis or treatment of persons by a practitioner or animals by a veterinarian, and who is licensed for that purpose by the Commonwealth of Massachusetts, and which discipline includes the intentional exposure of persons and animals to sources of radiation for diagnosis or treatment.

High Radiation Area means an area, accessible to individuals, in which radiation levels could result in an individual receiving a dose equivalent in excess of 1 mSv (0.1 rem) in 1 hour at 30 centimeters from any source of radiation or from any surface that the radiation penetrates.

Human Use means the internal or external administration of radiation or radioactive material to human beings.

Individual means any human being.

Individual monitoring means the assessment of:

- (1) Dose equivalent.
 - (a) by the use of individual monitoring devices; or
 - (b) by the use of survey data; or
- (2) Committed effective dose equivalent.
 - (a) by bioassay; or
 - (b) by determination of the time-weighted air concentrations to which an individual has been exposed, that is, DAC-hours. (*See* the definition of DAC-hours in 105 CMR 120.200).

Individual monitoring devices means devices designed to be worn by a single individual for the assessment of dose equivalent. For purposes of 105 CMR 120.000, "personnel dosimeter" and "dosimeter" are equivalent terms. Examples of individual monitoring devices are film badges, thermoluminescent dosimeters (TLDs), pocket ionization chambers, and personal air sampling devices.

Inspection means an official examination or observation including but not limited to, tests, surveys, and monitoring to determine compliance with rules, regulations, orders, requirements, and conditions of the Agency.

Instrument Traceability means the ability to show that an instrument has been calibrated at specified time intervals using a national standard or a transfer standard. If a transfer standard is used, the calibration must be at laboratory accredited by a program which requires continuing participation in measurement quality assurance with the National Institute of Standards and Technology or other equivalent national or international program.

Internal dose means that portion of the dose equivalent received from radioactive material taken into the body.

Interlock means a device arranged or connected such that the occurrence of an event or condition is required before a second event or condition can occur or continue to occur.

Ionizing Radiation (*See* Radiation).

Irradiation means the exposure of a living being or matter to ionizing radiation.

Kilovolt (kV) [kilo electron volt (keV)] means the energy equal to that acquired by a particle with one electron charge in passing through a potential difference of one thousand volts in a vacuum. [Note: current convention is to use kV for photons and keV for electrons.]

Lead Equivalent means the thickness of the material in question affording the same attenuation, under specified conditions, as lead.

120.005: continued

Leakage Radiation means radiation emanating from the diagnostic or therapeutic source assembly except for:

- (1) The useful beam; and,
- (2) Radiation produced when the exposure switch or timer is not activated.

License means a license issued by the Agency in accordance with the regulations adopted by the Agency.

Licensed (or registered) material means radioactive material received, possessed, used, transferred or disposed of under a general or specific license [or registration] issued by the Agency.

Licensee means any person who is licensed by the Agency in accordance with 105 CMR 120.000 and M.G.L. c. 111, §§ 3, 5M, 5N, 5O and 5P.

Licensing State means any State with regulations equivalent to the Suggested State Regulations for Control of Radiation relating to, and an effective program for, the regulatory control of NARM and which has been granted final designation by the Conference of Radiation Control Program Directors, Inc.

Limits (*See Dose limits*).

Lost or missing source of radiation means licensed [or registered] source of radiation whose location is unknown. This definition includes, but is not limited to, licensed (or registered) material that has been shipped but has not reached its planned destination and whose location cannot be readily traced in the transportation system.

Major Processor means a user processing, handling, or manufacturing radioactive material exceeding Type A quantities as unsealed sources or material, or exceeding four times Type B quantities as sealed sources, but does not include nuclear medicine programs, universities, industrial radiographers, or small industrial programs. Type A and B quantities are defined in 105 CMR 120.772.

Manifest means a detailed record of the characteristics and quantities of packaged waste as presented for transportation, treatment, storage, or disposal which usually accompanies waste transfers for these purposes.

Member of the public means an individual except when that individual is receiving an occupational dose.

Minor means an individual less than 18 years of age.

Monitoring means the measurement of radiation, radioactive material concentrations, surface area activities or quantities of radioactive material and the use of the results of these measurements to evaluate potential exposures and doses. For purposes of 105 CMR 120.000, "radiation monitoring" and "radiation protection monitoring" are equivalent terms.

NARM means any naturally occurring or accelerator-produced radioactive material. It does not include byproduct, source, or special nuclear material.

Natural Radioactivity means radioactivity of naturally occurring nuclides.

Non-ionizing Radiation (*See Radiation*).

Nuclear Regulatory Commission (NRC) means the U.S. Nuclear Regulatory Commission or its duly authorized representatives.

120.005: continued

Occupational dose means the dose received by an individual in the course of employment in which the individual's assigned duties for the licensee or registrant involve exposure to sources of radiation, whether or not the sources of radiation are in the possession of the licensee, registrant, or other person. Occupational dose does not include dose received: from background radiation, or as a patient from medical practices, or from voluntary participation in medical research program, or as a member of the public.

Package means the packaging together with its radioactive contents as presented for transport.

Particle accelerator (*See Accelerator*).

Patient means an individual subjected to healing arts examination, diagnosis, or treatment

Person means any individual, corporation, partnership, firm, association, trust, estate, public or private institution, group, agency of the commonwealth other than the department, any political subdivision of the commonwealth, any other state or political subdivision or agency thereof, and any legal successor, representative, agent, or agency of the foregoing, but not including federal government agencies.

Personnel monitoring equipment (*See Individual monitoring devices*).

Phantom means a volume of material behaving in a manner similar to tissue with respect to the attenuation and scattering of radiation. This requires that both the atomic number (Z) and the density of the material be similar to that of tissue.

Pharmacist means an individual certified as such under M.G.L. c. 112, § 24 to compound and dispense drugs, prescriptions, and poisons.

Physician means an individual certified as a physician under M.G.L. c. 112, § 2 or corresponding citation of earlier laws.

Principal Activities means activities authorized by the license which are essential to achieving the purpose(s) for which the license was issued or amended. Storage during which no licensed material is accessed for use or disposal and activities incidental to decontamination or decommissioning are not principal activities.

Protective Apron means an apron made of radiation-attenuating materials used to reduce exposure to radiation.

Protective Barrier means a barrier of radiation absorbing material(s) used to reduce radiation exposure. The types of protective barriers are as follows:

- (1) Primary protective barrier means the material, excluding filters, placed in the useful beam.
- (2) Secondary protective barrier means the material which attenuates stray radiation.

Public dose means the dose received by a member of the public from sources of radiation licensed or registered operations. Public dose does not include occupational dose, or dose received from background radiation, or dose received as a patient from medical practice, or dose from voluntary participation in medical research programs.

Pyrophoric Material means any liquid that ignites spontaneously in dry or moist air at or below 130°F (54.4°C) or any solid material, other than one classed as an explosive, which under normal conditions is liable to cause fires through friction, retained heat from manufacturing or processing, or which can be ignited readily and, when ignited, burns so vigorously and persistently as to create a serious transportation, handling, or disposal hazard. Included are spontaneously combustible and water-reactive materials.

120.005: continued

Qualified expert means an individual having the knowledge and training to measure ionizing radiation, to evaluate safety techniques, and to advise regarding radiation protection needs, for example, individuals certified in the appropriate field by the American Board of Radiology, or the American Board of Health Physics, or the American Board of Medical Physics, or those having equivalent qualifications. With reference to the calibration of radiation therapy equipment, an individual having, in addition to the above qualifications, training and experience in the clinical applications of radiation physics to radiation therapy, for example, individuals certified in Therapeutic Radiological Physics or X-Ray and Radium Physics by the American Board of Radiology, or those having equivalent qualifications.

Quality factor (Q) means the modifying factor, listed in 105 CMR 120.014: Tables I and II, that is used to derive dose equivalent from absorbed dose.

Rad means the special unit of absorbed dose. One rad is equal to an absorbed dose of 100 erg per gram or 0.01 joule per kilogram (0.01 gray).

Radiation means alpha particles, beta particles, gamma rays, x rays, neutrons, high-speed electrons, high-speed protons, and other particles capable of producing ions. For purposes of 105 CMR 120.000, ionizing radiation is an equivalent term. Radiation, as used in 105 CMR 120.000, does not include non-ionizing radiation, such as radiowaves or microwaves, visible, infrared, or ultraviolet light.

Radiation area means any area, accessible to individuals, in which radiation levels could result in an individual receiving a dose equivalent in excess of 0.05 mSv (0.005 rem) in one hour at 30 centimeters from the source of radiation or from any surface that the radiation penetrates.

Radiation dose (*See Dose*).

Radiation Detector means a device which, in the presence of radiation, provides by either direct or indirect means a signal or other indication suitable for use in measuring one or more quantities of incident radiation.

Radiation machine means any device capable of producing radiation except, those devices with radioactive material as the only source of radiation.

Radiation Safety Officer means an individual who has the knowledge and responsibility to apply appropriate radiation protection regulations, and who is identified on a certificate of registration or radioactive material license as the Radiation Safety Officer.

Radioactive Material means any solid, liquid, or gas which emits radiation spontaneously.

Radioactivity means the transformation of unstable atomic nuclei with the emission of radiation.

Radiobioassay (*See Bioassay*).

Registrant means any person who is registered with the Agency and is legally obligated to register with the Agency pursuant to 105 CMR 120.000 and M.G.L. c. 111, §§ 3, 5M, 5N, 5O, and 5P.

Registration means registration with the Agency in accordance with the regulations adopted by the Agency.

Regulations of the U.S. Department of Transportation (U.S. DOT), means the regulations in 49 CFR Parts 100-189.

Rem means the special unit of any of the quantities expressed as dose equivalent. The dose equivalent in rem is equal to the absorbed dose in rad multiplied by the quality factor (1 rem = 0.01 Sv).

120.005: continued

Research and Development means:

- (1) theoretical analysis, exploration, or experimentation; or
- (2) the extension of investigative findings and theories of a scientific or technical nature into practical application for experimental and demonstration purposes, including the experimental production and testing of models, devices, equipment, materials, and processes. Research and development does not include the internal or external administration of radiation or radioactive material to human beings.

Restricted area means an area, access to which is limited by the licensee or registrant for the purpose of protecting individuals against undue risks from exposure to sources of radiation. Restricted area does not include areas used as residential quarters, but separate rooms in a residential building may be set apart as a restricted area.

Roentgen means the special unit of exposure. One roentgen (R) equals 2.58×10^{-4} coulombs/kilogram of air (*see* Exposure).

Scattered radiation means ionizing radiation emitted by the interaction of ionizing radiation with matter, the interaction being accompanied by a change in direction of the radiation.

Scattered primary radiation means that scattered radiation that has been deviated in direction only by materials irradiated by the useful beam.

Sealed Source means any radioactive material that is used as a source of radiation and is encased in a capsule designed to prevent leakage or escape of the radioactive material.

Shallow dose equivalent ($H_{s,d}$), which applies to the external exposure of the skin or an extremity, means the dose equivalent at a tissue depth of 0.007 centimeter (7 mg/cm^2) averaged over an area of 1 square centimeter.

Shutter means a device attached to the tube housing assembly which can totally intercept the useful beam and which has a lead equivalency not less than that of the tube housing assembly.

SI means the abbreviation for the International System of Units.

Sievert means the SI unit of any of the quantities expressed as dose equivalent. The dose equivalent in sievert is equal to the absorbed dose in gray multiplied by the quality factor ($1 \text{ Sv} = 100 \text{ rem}$).

Site boundary means that line beyond which the land or property is not owned, leased, or otherwise controlled by the licensee or registrant.

Source Material means:

- (1) uranium or thorium, or any combination thereof, in any physical or chemical form; or
- (2) ores which contain by weight 1/20 of 0.05% or more of:
 - (a) uranium;
 - (b) thorium; or
 - (c) any combination thereof.

Source material does not include special nuclear material.

Source Material Milling means any activity that results in the production of byproduct material as defined by definition (2) of byproduct material.

Source of Radiation, means any radioactive material or any device or equipment emitting, or capable of producing, radiation.

120.005: continued

Source Traceability means the ability to show that a radioactive source has been calibrated either by the national standards laboratory of the National Institute of Standards and Technology (NIST), or by a laboratory which participates in a continuing measurement quality assurance program with NIST or other equivalent national or international program.

Special form radioactive material means radioactive material which satisfies the following conditions:

- (1) It is either a single solid piece or is contained in a sealed capsule that can be opened only by destroying the capsule;
- (2) The piece or capsule has at least one dimension not less than 5 millimeters (0.2 inch); and
- (3) It satisfies the test requirements specified by the Nuclear Regulatory Commission. A special form encapsulation designed in accordance with the Nuclear Regulatory Commission requirements in effect June 30, 1983, and constructed prior to July 1, 1985, may continue to be used. A special form encapsulation designed in accordance with the Nuclear Regulatory Commission requirements in effect on March 31, 1996, and constructed prior to April 1, 1998, may continue to be used. A special form encapsulation either designed or constructed after April 1, 1998, must meet requirements of this definition applicable at the time of its design or construction.

Special nuclear material means:

- (1) Plutonium, uranium-233, uranium enriched in the isotope 233 or in the isotope 235, and any other material that the U.S. Nuclear Regulatory Commission, pursuant to the provisions of section 51 of the Atomic Energy Act of 1954, as amended, determines to be special nuclear material, but does not include source material; or
- (2) Any material artificially enriched by any of the foregoing but does not include source material.

Special Nuclear Material in Quantities not Sufficient to Form a Critical Mass means uranium enriched in the isotope U-235 in quantities not exceeding 350 grams of contained U-235; uranium- 233 in quantities not exceeding 200 grams; plutonium in quantities not exceeding 200 grams; or any combination of them in accordance with the following formula: For each kind of special nuclear material, determine the ratio between the quantity of that special nuclear material and the quantity specified above for the same kind of special nuclear material. The sum of such ratios for all of the kinds of special nuclear material in combination shall not exceed 1. For example, the following quantities in combination would not exceed the limitation and are within the formula:

$$\frac{175 \text{ (grams U-235)}}{350} + \frac{50 \text{ (grams U-233)}}{200} + \frac{50 \text{ (grams Pu)}}{200} = 1$$

Survey means an evaluation of the radiological conditions and potential hazards incident to the production, use, transfer, release, disposal, and/or presence of sources of radiation . When appropriate, such evaluation includes, but is not limited to, tests, physical examinations, and measurements of levels of radiation or concentrations of radioactive material present.

Test means the process of verifying compliance with an applicable regulation.

105 CMR 120.000 means all Sections of the Massachusetts Regulations for the Control of Radiation.

Total effective dose equivalent (TEDE) means the sum of the deep dose equivalent for external exposures and the committed effective dose equivalent for internal exposures.

Total organ dose equivalent (TODE) means the sum of the deep dose equivalent and the committed dose equivalent to the organ receiving the highest dose as described in 105 CMR 120.267(A)(6).

120.005: continued

Traceable to National Standard (See Instrument Traceability or Source Traceability)

U.S. Department of Energy means the Department of Energy established by Public Law 95-91, August 4, 1977, 91 Stat. 565, 42 U.S.C. 7101 *et seq.*, to the extent that the Department exercises functions formerly vested in the U.S. Atomic Energy Commission, its Chairman, members, officers and components and transferred to the U.S. Energy Research and Development Administration and to the Administrator thereof pursuant to sections 104(b), (c) and (d) of the Energy Reorganization Act of 1974 (Public Law 93-438, October 11, 1974, 88 Stat. 1233 at 1237, effective January 19, 1975) and retransferred to the Secretary of Energy pursuant to section 301(a) of the Department of Energy Organization Act (Public Law 95-91, August 4, 1977, 91 Stat. 565 at 577-578, 42 U.S.C. 7151, effective October 1, 1977.)

Unrefined and Unprocessed Ore means ore in its natural form prior to any processing, such as grinding, roasting, beneficiating, or refining.

Unrestricted Area (Uncontrolled Area) means area access to which is neither limited nor controlled by the licensee or registrant. For purposes of 105 CMR 120.000, uncontrolled area is an equivalent term.

Vendor means a supplier of products or services to be used by a licensee or registrant or a licensed or registered facility or activity.

Waste means those low-level radioactive wastes that are acceptable for disposal in a land disposal facility. For the purposes of this definition, low-level waste has the same meaning as in the Low-Level Radioactive Waste Policy Act, P.L. 96-573, as amended by P.L. 99-240, effective January 15, 1986; that is, radioactive waste (a) not classified as high-level radioactive waste, spent nuclear fuel, or byproduct material as defined in Section 11e.(2) of the Atomic Energy Act (uranium or thorium tailings and waste) and (b) classified as low-level radioactive waste consistent with existing law and in accordance with (a) by the NRC.

Waste Handling Licensees means persons licensed to receive and store radioactive wastes prior to disposal and/or persons licensed to dispose of radioactive waste.

Week means seven consecutive days starting on Sunday.

Whole body means, for purposes of external exposure, head, trunk including male gonads, arms above the elbow, or legs above the knee.

Worker means an individual engaged in work under a license or registration issued by the Agency and controlled by a licensee or registrant, but does not include the licensee or registrant.

Working level (WL) means any combination of short-lived radon daughters in one liter of air that will result in the ultimate emission of $1.3\text{E}+5$ MeV of potential alpha particle energy. The short-lived radon daughters are -- for radon-222: polonium-218, lead-214, bismuth-214, and polonium-214; and for radon-220: polonium-216, lead-212, bismuth-212, and polonium-212.

Working level month (WLM) means an exposure to one working level for 170 hours - 2,000 working hours per year divided by 12 months per year is approximately equal to 170 hours per month.

Year means the period of time beginning in January used to determine compliance with the provisions of 105 CMR 120.000. The licensee or registrant may change the starting date of the year used to determine compliance by the licensee or registrant provided that the change is made at the beginning of the year and that no day is omitted or duplicated in consecutive years.

120.006: Exemptions

(A) General Provision. The Agency may, upon application therefore or upon its own initiative, grant such exemptions or exceptions from the requirements of 105 CMR 120.000 as it determines are authorized by law and will not result in undue hazard to public health and safety or property.

(B) U.S. Department of Energy Contractors and U.S. Nuclear Regulatory Commission Contractors. Any U.S. Department of Energy contractor or subcontractor and any U.S. Nuclear Regulatory Commission contractor or subcontractor of the following categories operating within this Commonwealth is exempt from 105 CMR 120.000 to the extent that such contractor or subcontractor under his contract receives, possesses, uses, transfers or acquires sources of radiation:

- (1) Prime contractors performing work for the U.S. Department of Energy at U.S. Government-owned or Government-controlled sites, including the transportation of sources of radiation to or from such sites and the performance of contract services during temporary interruptions of such transportation;
- (2) Prime contractors of the U.S. Department of Energy performing research in, or development, manufacture, storage, testing, or transportation of, atomic weapons or components thereof;
- (3) Prime contractors of the U.S. Department of Energy using or operating nuclear reactors or other nuclear devices in a United States Government-owned vehicle or vessel; and,
- (4) Any other prime contractor or subcontractor of the U.S. Department of Energy or of the U.S. Nuclear Regulatory Commission when the State and the U.S. Nuclear Regulatory Commission jointly determine:
 - (a) That the exemption of the prime contractor or subcontractor is authorized by law; and,
 - (b) That under the terms of the contract or subcontract, there is adequate assurance that the work thereunder can be accomplished without undue risk to the public health and safety.

120.007: Prohibited Uses

(A) A hand-held fluoroscopic screen shall not be used with x-ray equipment unless it has been listed in the Registry of Sealed Source and Devices or accepted for certification by the U.S. Food and Drug Administration, Center for Devices and Radiological Health.

(B) A Shoe-fitting fluoroscopic device shall not be used.

120.008: Impounding

Sources of radiation shall be subject to impounding pursuant to M.G.L. c. 111, §§ 5O and 5P.

120.009: Records

(A) Each licensee and registrant shall maintain records showing the receipt, transfer, and disposal of all sources of radiation. Additional record requirements are specified elsewhere in 105 CMR 120.000.

(B) Prior to license termination, each licensee authorized to possess radioactive material with a half-life greater than 120 days, in an unsealed form, shall forward the following records to the Agency:

- (1) Records of disposal of licensed material made under 105 CMR 120.252 (including burials authorized before January 28, 1981), 105 CMR 120.253, 120.254, 120.255; and,
- (2) Records required by 105 CMR 120.263(B)(4).

(C) If licensed activities are transferred or assigned in accordance with 105 CMR 120.131(B), each licensee authorized to possess radioactive material, with a half-life greater than 120 days, in an unsealed form, shall transfer the following records to the new licensee and the new licensee will be responsible for maintaining these records until the license is terminated:

120.009: continued

- (1) Records of disposal of licensed material made under 105 CMR 120.252 (including burials authorized before January 28, 1981), 105 CMR 120.253, 120.254, 120.255; and,
- (2) Records required by 105 CMR 120.263(B)(4).

(D) Prior to license termination, each licensee shall forward the records required by 105 CMR 120.125(C)(1)(g) to the Agency.

120.010: Inspections

(A) Each licensee and registrant shall afford the Agency at all reasonable times opportunity to inspect sources of radiation and the premises and facilities wherein such sources of radiation are used or stored.

(B) Each licensee and registrant shall make available to the Agency for inspection, upon reasonable notice, records maintained pursuant to 105 CMR 120.000.

120.011: Tests

Each licensee and registrant shall perform upon instructions from the Agency, or shall permit the Agency to perform, such reasonable tests as the Agency deems appropriate or necessary including, but not limited to, tests of:

(A) Sources of radiation;

(B) Facilities wherein sources of radiation are used or stored;

(C) Radiation detection and monitoring instruments; and,

(D) Other equipment and devices used in connection with utilization or storage of licensed or registered sources of radiation.

120.012: Additional Requirements

The Agency may, by rule, regulation, or order, impose upon any licensee or registrant such requirements in addition to those established in 105 CMR 120.000 as it deems appropriate or necessary to minimize danger to public health and safety or property.

120.013: Communications

All communications and reports concerning 105 CMR 120.000, and applications filed thereunder, should be addressed to the Agency at its office located at 174 Portland Street, Boston, MA, 02114.

120.014: Units of Exposure and Dose

(A) As used in 105 CMR 120.000, the unit of Exposure is the coulomb per kilogram (C/kg) of air. One roentgen is equal to 2.58×10^{-4} coulomb per kilogram of air.

(B) As used in 105 CMR 120.000, the units of dose are:

Rad is the special unit of absorbed dose. One rad is equal to an absorbed dose of 100 ergs per gram or 0.01 joule per kilogram (0.01 gray).

Gray (Gy) is the SI unit of absorbed dose. One gray is equal to an absorbed dose of 1 joule per kilogram (100 rads).

Rem is the special unit of any of the quantities expressed as dose equivalent. The dose equivalent in rem is equal to the absorbed dose in rad multiplied by the quality factor (1 rem = 0.01 sievert).

Sievert is the SI unit of any of the quantities expressed as dose equivalent. The dose equivalent in sievert is equal to the absorbed dose in gray multiplied by the quality factor (1 sievert = 100 rems).

120.014: continued

(C) As used in 105 CMR 120.000, the quality factors for converting absorbed dose to dose equivalent are shown in Table I.

TABLE I
QUALITY FACTORS AND ABSORBED DOSE EQUIVALENCIES

TYPE OF RADIATION	Quality Factor (Q)	Absorbed Dose Equal to a Unit Dose Equivalent*
X, gamma, or beta radiation and high-speed electrons	1	1
Alpha particles, multiple-charged particles, fission fragments and heavy particles of unknown charge	20	0.05
Neutrons of unknown energy	10	0.1
High-energy protons	10	0.1

(D) If it is more convenient to measure the neutron fluence rate than to determine the neutron dose equivalent rate in sievert per hour or rem per hour, as provided in 105 CMR 120.014(C), 0.01 Sv (1 rem) of neutron radiation of unknown energies may, for purposes of 105 CMR 120.000, be assumed to result from a total fluence of 25 million neutrons per square centimeter incident upon the body. If sufficient information exists to estimate the approximate energy distribution of the neutrons, the licensee or registrant may use the fluence rate per unit dose equivalent or the appropriate Q value from Table II to convert a measured tissue dose in gray or rad to dose equivalent in sievert or rem.

* Absorbed dose in gray equal to 1 Sv or the absorbed dose in rad equal to 1 rem.

120.014: continued

TABLE II
MEAN QUALITY FACTORS, Q, AND FLUENCE PER UNIT DOSE
EQUIVALENT FOR MONOENERGETIC NEUTRONS

Neutron Energy (MeV)	Quality Factor* (Q)	Fluence per Unit Dose Equivalent** (neutrons cm ⁻² rem ⁻¹)	Fluence per Unit Dose Equivalent** (neutrons cm ⁻² Sv ⁻¹)
(thermal)			
2.5 x 10 ⁻⁸	2	980 x 10 ⁶	980 x 10 ⁸
1.0 x 10 ⁻⁷	2	980 x 10 ⁶	980 x 10 ⁸
1.0 x 10 ⁻⁶	2	810 x 10 ⁶	810 x 10 ⁸
1.0 x 10 ⁻⁵	2	810 x 10 ⁶	810 x 10 ⁸
1.0 x 10 ⁻⁴	2	840 x 10 ⁶	840 x 10 ⁸
1.0 x 10 ⁻³	2	980 x 10 ⁶	980 x 10 ⁸
1.0 x 10 ⁻²	2.5	1010 x 10 ⁶	1010 x 10 ⁸
1.0 x 10 ⁻¹	7.5	170 x 10 ⁶	170 x 10 ⁸
5.0 x 10 ⁻¹	11	39 x 10 ⁶	39 x 10 ⁸
1	11	27 x 10 ⁶	27 x 10 ⁸
2.5	9	29 x 10 ⁶	29 x 10 ⁸
5	8	23 x 10 ⁶	23 x 10 ⁸
7	7	24 x 10 ⁶	24 x 10 ⁸
10	6.5	24 x 10 ⁶	24 x 10 ⁸
14	7.5	17 x 10 ⁶	17 x 10 ⁸
20	8	16 x 10 ⁶	16 x 10 ⁸
40	7	14 x 10 ⁶	14 x 10 ⁸
60	5.5	16 x 10 ⁶	16 x 10 ⁸
1.0 x 10 ²	4	20 x 10 ⁶	20 x 10 ⁸
2.0 x 10 ²	3.5	19 x 10 ⁶	19 x 10 ⁸
3.0 x 10 ²	3.5	16 x 10 ⁶	16 x 10 ⁸
4.0 x 10 ²	3.5	14 x 10 ⁶	14 x 10 ⁸

120.015: Units of Activity

For purposes of 105 CMR 120.000, activity is expressed in the SI unit of becquerel (Bq) or in the special unit of curie (Ci), or their multiples, or disintegrations or transformations per unit of time.

- (A) One becquerel (Bq) = 1 disintegration or transformation per second (dps or tps).
- (B) One curie (Ci) = 3.7 x 10¹⁰ disintegrations or transformations per second (dps or tps) = 3.7 x 10¹⁰ becquerel (Bq) = 2.22 x 10¹² disintegrations or transformations per minute (dpm or tpm).

* Value of quality factor (Q) at the point where the dose equivalent is maximum in a 30-centimeter diameter cylinder tissue-equivalent phantom.

** Monoenergetic neutrons incident normally on a 30-centimeter diameter cylinder tissue-equivalent phantom.